


Status and Plans for **Applications Monitoring**

Henry Nebrensky (Brunel University)

CMS UK

Bristol, 1-2 July 2004

Some slides stolen from Claudio Grandi's talk at CHEP'03



Accepts job submission from users


Stores info about job in a DB

Builds a wrapper around the job (*jobExecutor*)


Sends the wrapper to the local scheduler

The wrapper sends to the DB info about the job

BOSS on the Grid



Use of R-GMA in BOSS (the idea)



Use of R-GMA in BOSS

- Publish each update into R-GMA as a separate message – separate row
- Each producer gives host and name of “home” BOSS DB, and jobId; this identifies it uniquely
- Receiver looks for all rows relating to its DB; uses jobId and jobType to do SQL **UPDATE**

Use of R-GMA in BOSS

- R-GMA smoothes “firewall” issues
- Consumer can watch many producers; producers can feed multiple consumers.
- Provides uniform access to range of monitoring data (WP7 network, etc.)
- Can define minimum retention period but no guarantees

Scalability Tests With CMS, Boss and R-GMA

Stolen from Rob Byrom's slides at

<http://agenda.cern.ch/fullAgenda.php?ida=a036755>

(Presented at 2003 IEEE/NSS mtg, sub. to Trans. Nuc. Sci.)

Test Motivation

- Want to ensure R-GMA can cope with volume of expected traffic and is scalable.
- CMS production load estimated at around 2000 jobs.
- Initial tests with v3-3-28 only managed about 400 - could do better L .


Test Design

- A simulation of the CMS production system was created.
 - A Java MC simulation was designed to represent a typical job.
 - Each job creates a stream producer.
 - Each job publishes a number of tuples depending on the job phase.
 - Each job contains 3 phases with varying time delays.
 - Emulates “CMSIM” message publishing pattern, but so far with 10 hour run time compressed into a minute ...
 - ... so actually have fewer simultaneous jobs than real case, but overall a much higher rate of message production.

Test Design

- An Archiver scoops up published tuples.
 - The Archiver db used is a representation of the BOSS db, but stores history of received messages, rather than just a cumulative update.
 - Archived tuples are compared with published tuples to verify the test outcome.

Topology



Test Setup

- Archiver & SP mon box setup at Imperial.
- SP mon box & IC setup at Brunel.
- Archiver and MC sim clients positioned at various nodes within both sites.
- Tried 1 MC sim and Archiver with variable Job submissions.
- Also setup similar test on WP3 testbed using 2 MC sims and 1 Archiver.

Results (i.e. Status)

- 1 MC sim creating 2000 jobs and publishing 7600 tuples proven to work without glitch (R-GMA v3.4.13)
- Demonstrated 2 MC sims each running 4000 jobs (with 15200 published tuples) on the WP3 testbed.
- We believe that R-GMA will scale to number of jobs required...

Plans

- But these have not been real jobs – need to confirm performance with full-length and real jobs, at full scale and under real conditions: i.e. with R-GMA infrastructure shared with rest of Grid monitoring
- Check R-GMA functionality in LCG2
- Properly integrate into BOSS source tree