BMJ Open Sport & **Exercise** Medicine

Assessing Open Science practices in physical activity behaviour change intervention evaluations

Emma Norris , ¹ Isra Sulevani, Ailbhe N Finnerty, Oscar Castro^{2,3}

To cite: Norris E, Sulevani I, Finnerty AN, et al. Assessing Open Science practices in physical activity behaviour change intervention evaluations. BMJ Open Sport & Exercise Medicine 2022;8:e001282. doi:10.1136/ bmjsem-2021-001282

Additional supplemental material is published online only. To view, please visit the journal online (http://dx.doi. org/10.1136/bmjsem-2021-001282).

Accepted 10 May 2022



@ Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY. Published by BMJ.

¹Department of Health Sciences, Brunel University London, Uxbridae. UK

²Centre for Behaviour Change, University College London, London, UK

³Future Health Technologies, Singapore-ETH Centre, Campus for Research Excellence And Technological Enterprise, Singapore

Correspondence to

BMJ

Dr Emma Norris: Emma.Norris@brunel.ac.uk

ABSTRACT

Objectives Concerns on the lack of reproducibility and transparency in science have led to a range of research practice reforms, broadly referred to as 'Open Science'. The extent that physical activity interventions are embedding Open Science practices is currently unknown. In this study, we randomly sampled 100 reports of recent physical activity randomised controlled trial behaviour change interventions to estimate the prevalence of Open Science practices.

Methods One hundred reports of randomised controlled trial physical activity behaviour change interventions published between 2018 and 2021 were identified, as used within the Human Behaviour-Change Project. Open Science practices were coded in identified reports. including: study pre-registration, protocol sharing, data, materials and analysis scripts sharing, replication of a previous study, open access publication, funding sources and conflict of interest statements. Coding was performed by two independent researchers, with inter-rater reliability calculated using Krippendorff's alpha.

Results 78 of the 100 reports provided details of study pre-registration and 41% provided evidence of a published protocol. 4% provided accessible open data, 8% provided open materials and 1% provided open analysis scripts. 73% of reports were published as open access and no studies were described as replication attempts, 93% of reports declared their sources of funding and 88% provided conflicts of interest statements. A Krippendorff's alpha of 0.73 was obtained across all coding.

Conclusion Open data, materials, analysis and replication attempts are currently rare in physical activity behaviour change intervention reports, whereas funding source and conflict of interest declarations are common. Future physical activity research should increase the reproducibility of their methods and results by incorporating more Open Science practices.

INTRODUCTION

Across scientific research, there is an increased awareness of highly prevalent problematic research practices, often referred to as questionable research practices, 1 such as p-hacking: mining data for significant results^{2 3} and Hypothesising After the Results are Known (or 'HARKing'). Open Science is an umbrella term of research behaviours intending to reduce

WHAT IS ALREADY KNOWN ON THIS TOPIC

- ⇒ Open Science practices support research being more transparent and reproducible.
- ⇒ Assessment of Open Science practices in physical activity research is limited.

WHAT THIS STUDY ADDS

- ⇒ We reviewed Open Science practices within 100 reports of physical activity behaviour change intervention randomised controlled trials.
- ⇒ Open data, materials, analysis and replication attempts are currently rare in physical activity behaviour change intervention research.

HOW THIS STUDY MIGHT AFFECT RESEARCH. PRACTICE AND/OR POLICY

⇒ Our study draws attention to the practical solutions and resources that are most needed to promote transparency, reproducibility and accessibility in future physical activity research.

these questionable research practices.^{5–8} Open Science research practices can be applied across the whole research process: from conception to publication.⁷⁻⁹ At research conception, preregistrations provide time-stamped evidence of study hypotheses, methods and analysis plans, 10 11 with these details made publicly available through online repositories such as Open Science Framework.¹² In contrast to research protocols that specify research details but may be published before or after the study is in-progress or even completed, 13 pre-registrations are completed and published prior to data collection to minimise biases.¹⁴ Open data, open materials (including questionnaires and intervention materials used) and open analysis scripts help make the processes and outputs of research more transparent, accessible and shareable. 15 At publication, open access publishing makes reporting of research available to anyone at no cost to the reader. 16

Questionable research practices are likely rife in physical activity, sport and exercise medicine research. ¹⁷ ¹⁸ A recent study assessed the prevalence of questionable research practices within sport and exercise





medicine research, including 129 studies published in leading sports medicine journals in 2019. Their analysis found that 82.2% of all reported hypotheses, and 70.8% of primary hypotheses, were supported by study results identified as implausibly high. 19 Meta research has assessed Open Science practices in domains related to physical activity, behaviour change and life sciences.²⁰ A recent study exploring 250 psychology studies of varying study designs published between 2014 and 2017 found that while open access publication was relatively common (65%), sharing of open materials (14%), data (2%) and analysis scripts (1%), as well as pre-specification of research plans via pre-registration (3%) and study protocols (0%) were low.²¹ In addition, transparency of reporting was inconsistent for funding statements (62%) and conflict of interest disclosure statements (39%).²¹ Meta-science studies have also assessed these Open Science practices within smoking cessation behaviour change research,²² social sciences,²⁰ biomedicine²³ and biostatistics.²⁴

However, to our knowledge, no study has evaluated the extent to which Open Science practices are used within physical activity research. Gaining a better understanding of these practices could inform future recommendations and policy development to promote open, transparent science within the physical activity field and to reduce the threat of questionable research practices. Therefore, the aim of this study was to assess Open Science practices within physical activity behaviour change intervention randomised controlled trial (RCT) reports assessing moderate-to-vigorous physical activity outcomes.

METHODS Study design

This was a retrospective observational study with a cross-sectional design. Sampling units were individual physical activity behaviour change intervention reports. This study applied an established methodology used to assess Open Science practices in smoking cessation interventions, ²² psychological sciences²¹ and social sciences. ²⁰ This study was pre-registered on the Open Science Framework. ²⁵ All deviations from this protocol are explicitly acknowledged in online supplemental file 1. Deviations included adding an additional item to specify whether a declared study pre-registration was registered ahead of data collection, or whether it was actually retrospectively registered after data collection had commenced, as well as adding 'funded by a non-profit' options within funding source and conflict of interest assessment items.

Search strategy

All papers included in this study were reports of physical activity behaviour change interventions, evaluated via RCTs. These reports were identified for inclusion within the Human Behaviour-Change Project (HBCP), which is developing an artificial intelligence system to extract information from published intervention studies and make recommendations for real-world practice and future research. ^{26 27} The




Figure 1 Flow diagram for the physical activity behaviour change intervention reports included in the analysis of Open Science practices. * Steps performed as part of the Human Behaviour-Change Project (HBCP) and involving two independent reviewers.

selection criteria for the HBCP are comparable to the one used for the present study (ie, both projects have a broad scope and aim to identify a subsample of reports describing RCTs of physical activity behaviour change interventions). Therefore, we used the same pool of articles remaining after the HBCP's title and abstract screening (see figure 1 for a complete overview). Physical activity behaviour change intervention reports were identified in the HBCP using Microsoft Academic, one of the biggest, most comprehensive bibliographic databases of scientific literature.²⁸ The search strategy was performed on 20 January 2021 and included the terms 'MVPA or moderate-to-vigorous physical activity or MPA or VPA or moderate physical activity or vigorous physical activity or strenuous physical activity or hard physical activity', with studies additionally filtered using the RCT classifier within Microsoft Academic. The terms were identified through a scoping search in which one of the study authors (OC) manually scanned the terms used in 20 physical activity behaviour change intervention reports.

Inclusion criteria were reports describing RCTs of physical activity behaviour change interventions and published between 2018 and 2021. The rationale for the recency of these included papers is to best represent current Open Science practices, given the relatively recent nature of Open Science practices. In addition, we focused on RCTs only due to their recognition as 'gold-standard' for studying intervention effectiveness.²⁶ Exclusion criteria were trial protocols, conference submissions, abstract-only entries, qualitative research and economic or process evaluations. Full texts of identified papers within the HBCP were screened by one researcher (EN) to double-check relevance against inclusion and exclusion criteria, with piloting of the screening strategy by two authors (EN and OC). Of the 171 reports remaining after applying these criteria, 100 reports were selected due to time and resource constraints using the Calculator Soup Random Number Generator.²⁹

Measures

Article characteristics recorded were: (i) author name, (ii) publication year and (iii) country of the corresponding author. Open Science practices were assessed by recording presence of the following in included reports: (i) Pre-registration: whether pre-registration was reported as carried out, where the pre-registration was hosted (eg, Open Science Framework, ClinicalTrials. gov), whether it could be accessed, what aspects of the study (hypotheses, methods and analysis plans) were preregistered and whether the pre-registration was logged prospectively (prior to data collection commencing) or retrospectively (after data collection had commenced)³⁰; (ii) Protocol sharing: whether a protocol was reported as published and what aspects of the study (hypotheses, methods and analysis plans) were included in the protocol; (iii) Data sharing: whether data were reported as available, where it was available (eg, online repository such as Open Science Framework, on request from authors, as a journal supplementary file), whether the data were downloadable and accessible, whether data files were clearly documented and the extent that data reported were sufficient to allow replication of study findings; (iv) Materials sharing: whether study materials were reported as available, where they were available (eg, online repository such as Open Science Framework, on request from authors, as a journal supplementary file) and whether the materials were downloadable and accessible; (v) Analysis script-sharing: whether analysis scripts were reported as available, where they were available (eg, online repository such as Open Science Framework, on request from authors, as a journal supplementary file) and whether the analysis scripts were downloadable and accessible; (vi) Replication of a previous study: whether the study was described as being a replication attempt of a previous study; (vii) Open access publication: whether the study was published as open access, assessed via the open access button website³¹ which harvests deposited publication from 1000s of academic institutions³²; (viii) Funding sources: whether funding sources were declared and if research was funded by public organisations (such as research councils or charities), pharmaceutical, activityrelated or other companies; and (ix) Conflicts of interest: whether conflicts of interest were declared and whether conflicts were with public organisations (such as research councils or charities), pharmaceutical, activity-related or other companies. The journal impact factor of identified papers was intentionally not assessed to evaluate papers, due to well-documented issues with manipulation and inflation of these figures. 33 34 All measured variables are shown in table 1.

Procedure

Coding of identified intervention reports took place between July and September 2021, with all data extracted onto a Google Form.³⁵ All reports were independently coded by two researchers (IS coded all 100 papers, EN and OC coded 50 each). Any discrepancies were resolved

through discussion, with input from a third researcher who was not involved in the initial coding of that specific paper (EN or OC).

Analysis

Raw numbers and percentages were identified for each variable. Inter-rater reliability of the independent coding by the two researchers, prior to any changes after discrepancy discussions, was calculated using Krippendorff's alpha³⁶ using R package 'irr' V.0.84.1,³⁷ as performed in other related research coding studies.^{22 38}

RESULTS

Sample characteristics

Twenty-two out of the 100 physical activity behaviour change intervention reports were published in 2018, 33 in 2019, 37 in 2020 and 8 in 2021. The 100 reports evaluated studies conducted in 24 different countries, taking place most commonly in the USA (n=24), Australia (n=19), Canada (n=10) and the UK (n=7). A full summary of countries in included reports is presented in online supplemental file 2.

Open Science practices in physical activity behaviour change intervention reports

Final reconciled coding of Open Science practices for all 100 included physical activity behaviour change intervention reports can be found in online supplemental file 3.

Article availability (open access)

Seventy-three out of 100 physical activity behaviour change intervention reports were available via open access, with 27 of them only accessible behind a paywall (figure 2A).

Pre-registration

Seventy-eight out of 100 physical activity behaviour change intervention reports included a statement indicating existence of a study pre-registration. Of those, 77 could be accessed. Forty-three of all accessible preregistrations were recorded prospectively (ie, before data collection commenced) and 34 were recorded respectively (ie, after data collection commenced). Seventy-seven of all accessible pre-registrations declared specifications relating to study methods, 24 declared hypotheses and 5 declared analysis plans. Thirty-seven of all accessible pre-registrations were hosted on ClinicalTrials.gov (48.1%), 18 on the Australian and New Zealand Clinical Trials Registry (ANZCTR: 23.4%), 14 on the International Standard Randomised Clinical Trial Number registry (ISRCTN: 18.2%), 3 on Netherlands Trial Register (NTR: 3.9%) and 1 on Deutsches Register Klinischer Studien (DRKS), Iranian Registry of Clinical Trials (IRCT), Registro Brasileiro de Ensaios Clinicos (REBEC), UMIN Clinical Trials Registry (UMIN-CTR) and Chinese Clinical Trial Registry (ChCTR) (1.3% each). One included study was a Registered Report, 39 logged with an International Registered Report Identifier (1.3%) (figure 2B).

copyright.	
WYJ Open Sport Exercitied. Hist published as To. Historial senii-2021-00 1202 on 23 May 2022. Downloaded Hoth I	בואים לקליו לקלוג ראכול ואולם: וווטו קמסווטוולם מי

Table 1 Measured chara	Measured characteristics within identified physical activity behaviour change intervention reports	tion reports
Variables	Coder questions	Response options
Article characteristics		
Coder instructions: Check the institutional affiliati affiliations for the selected author, choose the first.	stitutional affiliation of the corresponding author. If there are multiple corresponding auth choose the first.	Coder instructions: Check the institutional affiliation of the corresponding author. If there are multiple corresponding authors, choose the first. If no corresponding author is identified, choose the first. If there are multiple affiliations for the selected author, choose the first.
Country	Which country is the corresponding author based in according to their affiliated?	(List countries) / Unclear / Other
Pre-registration		
Definitions: 'Pre-registration' refe	Definitions: 'Pre-registration' refers to the specification of important aspects of the study (typically hypotheses, methods	the study (typically hypotheses, methods and/or analysis plan) prior to commencement of the study.
Coder instructions: Check speci	iic sections in the paper where these files might be located, for example, supplementary	Coder instructions: Check specific sections in the paper where these files might be located, for example, supplementary materials, appendices, author notes, methods and results sections. Search for 'registration'.
Pre-registration statement	Does the article state whether or not the study (or some aspect of the study) was pre-registered?	Yes – the statement says that there was a pre-registration / Yes – the statement says that there was NO pre-registration / No – there is no pre-registration statement / Other*
Pre-registration method	Where does the article indicate the pre-registration is located?	Open Science Framework / AsPredicted / ClinicalTrials.gov / AEA Trial Registry / EGAP Registry / Registered Report /
Pre-registration accessible	Can you access and open the pre-registration	Yes / No / Other*
Pre-registration content	What aspects of the study appear to be pre-registered? (select all that apply)	Hypotheses Methods Analysis Plan Other*
Protocol sharing		
Definition: 'Protocol' refers to a c	Definition: 'Protocol' refers to a document containing details about the study design, methods and analysis plan. It may or may not be pre-registered.	r may not be pre-registered.
Coder instructions: Search the a	Coder instructions: Search the article for the phrase 'protocol' and assess whether a link is provided to a protocol document.	lent.
Protocol availability	Does the article link to an accessible protocol?	Yes / No / Other*
Protocol content	What aspects of the study appear to be included in the protocol? (select all that apply)	Hypotheses Methods Analysis Plan Other*
Data sharing		
Definitions: 'Data' refers to recorwyhy data cannot be shared.	ded information that supports the analyses reported in the article. A 'data availability sta	Definitions: 'Data' refers to recorded information that supports the analyses reported in the article. A 'data availability statement' can be as simple as a url link to a data file, or as complex as a written explanation as to why data cannot be shared.
Coder instructions: Check the are the text 'data available' (to cover '	Coder instructions: Check the article for a data availability statement/link. They are often located in the 'supplementary rete to the text 'data available').	are often located in the 'supplementary material', 'acknowledgements', 'author notes', 'methods' or 'results' sections. Search the article for
Data availability statement	Does the article state whether or not data are available?	Yes – the statement says that the data (or some of the data) are available / Yes – the statement says that the data are NOT available / No – there is no data availability statement / Other*
		Continued

Continued

Coder instructions: Funding is usually reported in a specific section, for example, 'Author information', or 'Funding statement'. Search the article for the phrase 'funding'. If you are unsure whether an organisation is an activity-related company, pharmaceutical company, other private company or public organisation, Google the organisation name and code accordingly. If it is unclear to you whether the funding is private or public.

choose the 'other' option and enter 'unclear'.

BMJ Open Sport Exerc Med: first published as 10.1136/bmjsem-2021-001282 on 23 May 2022. Downloaded from http://bmjopensem.bmj.com/ on May 23, 2022 by guest. Protected by copyright.

Table 1 Continued		
Variables	Coder questions	Response options
Data sharing method	How does the statement indicate the data are available?	On request from the authors / personal or institution website / An online, third-party repository (eg, OSF, FigShare) / supplementary materials hosted by the journal / Other*
Data accessibility	Can you access, download, and open the data files?	Yes / No / Other*
Data documentation	Are the data files clearly documented?	Yes / No / Other*
Data content	Do the data files appear to contain all of the raw data necessary to reproduce Yes / No / Unclear / Other* the reported findings?	Yes / No / Unclear / Other*
Materials sharing		
Definitions: 'Materials' refers to any stuexperiments.	Definitions: 'Materials' refers to any study items that would be needed to repeat the study, such as stimuli, survey instrurr experiments.	the study, such as stimuli, survey instruments and computer code/software used for data collection, presentation stimuli or running
Materials availability statement	Does the article state whether or not materials are available?	Yes – the statement says that the materials (or some of the materials) are available / Yes – the statement says that the materials are NOT available / No – there is no materials availability statement / Other*
Materials sharing method	According to the statement, how are the materials accessible?	On request from the authors / personal or institution website / An online, third-party repository (eg, OSF, FigShare) / supplementary materials hosted by the journal / Other*
Materials accessibility	Can you access, download and open the materials files?	Yes / No / Other*
Analysis script sharing		
Definition: 'Analysis scripts' refers to s _l SPSS).	oecification of data preparation and analysis steps in the form of highly detail step-	Definition: 'Analysis scripts' refers to specification of data preparation and analysis steps in the form of highly detail step-by-step instructions for using point-and-click software, analysis code (eg, R), or syntax (eg, from SPSS).
Coder instructions: Check the article for an artor for the text 'analysis script' and 'analysis code'	or an analysis script availability statement/link. They are often located in the 'supple's code'.	Coder instructions: Check the article for an analysis script availability statement/link. They are often located in the 'supplementary material', 'acknowledgements', 'author notes', 'methods' or 'results' sections. Search for the text 'analysis script' and 'analysis code'.
Analysis script availability statement	Does the article state whether or not analysis scripts are available?	Yes – the statement says that the analysis scripts (or some of the analysis scripts) are available / Yes – the statement says that the analysis scripts are NOT available / No – there is no analysis script availability statement
Analysis script sharing method	According to the statement, how are the analysis scripts accessible?	On request from the authors / Personal or institution website / An online, third-party repository (eg, OSF, FigShare) / supplementary materials hosted by the journal / Other*
Analysis script accessibility	Can you access, download, and open the analysis script files?	Yes / No / Other*

Table 1 Continued		
Variables	Coder questions	Response options
Funding statement	Does the article include a statement indicating whether there were funding sources?	Yes – the statement says that there was funding from an activity-related company (eg, Nike, Fitbit) / Yes – funding from a pharmaceutical company (eg, Pfizer, GSK)/ Yes – funding from another private company (eg, Google, Coca Cola) / Yes – funding from a public organisation (eg, National Institute of Health Research)/ Yes – the statement says that there was no funding was provided / No – there is no funding statement / Onclear / Other*
Conflict of interest		
Coder instructions: Conflicts of inter- 'competing interest'. If you are unsure If it is unclear to you whether the confl	Coder instructions: Conflicts of interest are usually reported in a specific section, for example, 'Author information' or 'Competing interest'. If you are unsure whether an organisation is an activity-related company, pharmaceutical company, fit is unclear to you whether the conflict of interest is private or public, choose the 'other' option and enter 'unclear'.	Coder instructions: Conflicts of interest are usually reported in a specific section, for example, 'Author information' or 'Conflict of interest statement'. Search the article for the phrases 'conflict of interest' and/or 'company, pharmaceutical company, other private company or public organisation, Google the organisation name and code accordingly. If it is unclear to you whether the conflict of interest is private or public, choose the 'other' option and enter 'unclear'.
Conflict of interest statement	Does the article include a statement indicating whether there were any conflicts of interest?	Yes – the statement says that there was a conflict of interest from an activity-related company (eg, Nike, Fitbit) / Yes – conflict of interest from a pharmaceutical company (eg, Pfizer, GSK)/ / Yes – conflict of interest from another private company (eg, Google, Coca Cola) / Yes – conflict of interest from a public organisation (eg, National Institute of Health Research)/ Yes – the statement says that there is no conflict of interest / No – there is no conflict of interest statement /
Replication		
Definitions: 'Replication' refers to rep	Definitions: 'Replication' refers to repetition of a previous study's methods in order to ascertain whether similar findings can be obtained.	an be obtained.
Coder instructions: Search the abstra	Coder instructions: Search the abstract and introduction for the phrase 'replicat' (to cover 'replication', 'replicates' etc). Confirm the authors are using the phrase with the definition provided above.	Confirm the authors are using the phrase with the definition provided above.
Replication statement	Does the article claim to report a replication study?	The article claims to report a replication study (or studies) / There is no clear statement that the article reports a replication study (or studies) / Other*
Open access		
Coder instructions: To establish the cost is provided, check that you can access	Coder instructions: To establish the open access status of the article: Go to https://openaccessbutton.org/ and enter the article's doi (eg, '10.1371/journal.pcbi.1004574') if available (if n is provided, check that you can access the article at the link. If the article is accessible answer 'Yes'. If the article is not accessible at the provided link, or no link is provided, answer 'No'.	Coder instructions: To establish the open access status of the article: Go to https://openaccessbutton.org/ and enter the article's doi (eg., '10.1371/journal.pcbi.1004574') if available (if not, enter the article title). If a link is provided, check that you can access the article at the link. If the article is accessible answer 'Yes'. If the article is not accessible at the provided link, or no link is provided, answer 'No'.
Open access status	Is the article open access?	Yes – found via open access button / Yes – found via other means / No – could not access article other than through paywall / Other
*If a response marked with an asterisk is se	"If a response marked with an asterisk is selected, the coder is asked to provide more detail in a free-text response box.	




Figure 2 (A) Article availability, (B) pre-registration, (C) protocol availability, (D) data availability, (E) material availability, (F) analysis script availability, (G) replication study, (H) funding statement and (I) conflict of interest statement.

Protocol sharing

Forty-one out of 100 physical activity behaviour change intervention reports included a statement about protocol availability. All 41 (100%) of these protocols specified study methods, 40 (97.6%) specified analysis plans and 14 (34.1%) specified hypotheses (figure 2C).

Data sharing

Thirty-two out of 100 physical activity behaviour change intervention reports included a data availability statement. Of those, 22 stated data were only available on request from the authors, 5 stated that data were available within the reports' supplementary files, 1 stated that data were available via a personal or institutional website and 4 stated that data were not available. Only 4 out of these 32 reports included a data availability statement that data files that were actually accessible to download, with two of these providing clear documentation for the data files and two providing sufficient detail needed to reproduce findings (figure 2D).

Material sharing

Seventeen out of 100 physical activity behaviour change intervention reports included a materials availability statement. Of those, 10 reports stated that materials were available within the reports' supplementary files and 7 stated that materials were only available on request from the authors. Eight out of the 10 studies which stated that

materials were provided as supplementary files actually provided accessible and downloadable materials, such as full or sample intervention activities (figure 2E).

Analysis script sharing

One out of 100 physical activity behaviour change intervention reports included an analysis script availability statement, 40 with this provided as a supplementary file (figure 2F).

Replication study

None of the 100 physical activity behaviour change intervention reports were described as replication studies (figure 2G).

Funding

Ninety-three out of the 100 physical activity behaviour change intervention reports included a statement about funding sources. Most of the reports disclosed public funding only, such as via government-funded research grants, charities or universities (n=85). One report disclosed both public funding and funding from private activity-related companies⁴¹ and one report disclosed funding from private activity-related companies only.⁴² Six reports reported receiving no funding (figure 2H).

Conflicts of interest

Eighty-eight out of the 100 articles provided a conflict of interest statement. Most of these reports stated that there were no conflicts of interest (n=77). Eleven reports stated that there was at least one conflict of interest, including from an activity company (n=5), a public organisation such as government or charities (n=2), a pharmaceutical company (n=1), a non-activity or pharmaceutical company (n=1), a combination of activity, pharmaceutical and other private companies (n=1), or that researchers were involved in the development and evaluation of the reported intervention (n=1) (figure 2I).⁴³

Inter-rater reliability assessment

Inter-rater reliability of all coding across the 100 reports was assessed as good, a=0.73.

DISCUSSION

This study aimed to assess Open Science practices within physical activity behaviour change intervention reports. It was found that Open Science practices varied among the assessed 100 physical activity behaviour change intervention reports. Most reports were open access and pre-registered, with reported funding sources and conflicts of interest. However, open materials, data and analysis scripts were not frequently provided and no replication studies were identified.

Pre-registration of studies was found to be slightly more common for physical activity intervention RCTs (78%), than found in smoking cessation intervention RCTs (73%)²² and much more common than in wider psychological research of varying study designs (3%).²¹ In our study, similar amounts of studies were

pre-registered prospectively (55.7%: prior to data collection commencing) or retrospectively (44.2%: after data collection had commenced), 30 although this distinction between pre-registrations has not been assessed in comparable research. The common prevalence of retrospective pre-registration via clinical trials is arguably not true preregistration, nor transparent from the study's outset. 12 13 One included study was noted as a Registered Report,³⁹ where in-principle acceptance to journals is given based on study proposals at conception stage, rather than based on completed studies and their reported findings. 44 45 No Registered Reports were identified in smoking cessation²² and psychology,²¹ perhaps reflecting a slow increase in Registered Report numbers over time. 15 Protocols were available as separate papers or linked publications in 41% of included physical activity studies, which is higher than in smoking cessation studies (29%)²²; and wider psychology research (0%).²¹ The increased prevalence of protocols within physical activity and smoking cessation likely reflects greater availability of health-related protocol publications, 46 via specific journals such as JMIR Research Protocols and via protocols as specific types of publications within wider journals such as BMC Public Health and Trials. High prevalence of protocols in this study is also indicative of RCTs being both a common study design in health and intervention research⁴⁷ and a study design typically accompanied by research proto-

Open access reports were at similarly moderate levels in physical activity (73%) than in smoking cessation (71%)²²; and psychology (65%),²¹ but greater than the 45% observed in the social sciences,²⁰ the 45% across scientific literature published in 2015¹⁶ and the 25% in biomedicine.²³ This high rate of open access publishing in physical activity interventions may reflect increasing requirements by health funding bodies for open access publications,⁴⁹ as well as increasing usage of preprint servers such as medRxiv for medical sciences and PsyArXiv for the psychological sciences.⁵⁰

Open materials were less commonly available in physical activity reports (8%) than in smoking cessation reports (13%),22 psychology (14%)21; and biomedicine (33%).²³ Open data were also less common across physical activity reports (4%) than in smoking cessation reports (7%),²² but greater than the 2% of wider psychological research. ²¹ Provision of raw data as supplementary files to published intervention reports or via trusted thirdparty repositories such as the Open Science Framework is important to facilitate evidence synthesis. Open analysis scripts were found to be as infrequently provided in physical activity studies than in smoking interventions and wider psychological research (all 1%). ^{21 22} No replication attempts were identified in this sample of physical activity intervention reports, same as within smoking cessation reports²² but less than in the social sciences $(1\%)^{20}$; and in wider psychology studies (5%).²¹

Declaration of funding sources were declared in physical activity reports (93%) similarly to smoking cessation

reports (95%)²²; more so than wider psychology (62%),²¹ social sciences (31%)²⁰ and biomedical science reports (69%).²³ Similarly, a conflict of interest statement was provided as commonly in physical activity reports than in smoking cessation reports (88% in both)²² and higher than in wider psychology (39%),²¹ social sciences (39%)²⁰ and biomedical sciences reports (65%).²³ Eight per cent of studies reported conflicts from private companies including activity, pharmaceutical and other companies, less than the 20% of studies reporting company funding in smoking cessation interventions.²²

Future steps to increase Open Science in physical activity interventions

This research has demonstrated a need to address the low levels of Open Science engagement in physical activity research, particularly in the areas of open materials, data, analysis scripts and replication attempts. As with any complex behaviour change, this transformation requires systems change across bodies involved in the development, running and publication of physical activity research: researchers, research institutions, funding organisations, journals and beyond.¹⁹ In order to develop effective behaviour change interventions, it is important to use a systematic and comprehensive approach to intervention development, underpinned by a model of behaviour and theoretically predicted mechanisms of action. ^{51–53} The Capability, Opportunity, Motivation, Behaviour model⁵⁴ posits that changing behaviour involves changing one or more of the following: capability (psychological and physical capacity to engage in the behaviour), opportunity (external factors that make the execution of a particular behaviour possible or prompt it) and motivation (internal processes that energise and direct behaviour). We argue that understanding the capability, opportunity and motivation associated with Open Science practices⁹ and developing interventions to address these determinants of behaviour change, 55 is key to increase engagement with Open Science.

For example, low perceived capability towards Open Science practices in physical activity researchers can be addressed by providing researchers with training tailored to the context of activity intervention research (eg, online training on how to make anonymised activity monitor data openly available, how to use preprint servers most relevant to activity research or how to make their activity analysis reproducible). Opportunity to engage in Open Science practices can be facilitated within institutions, encouraging discussions around Open Science in the context of physical activity research 19 and in science more broadly, ²¹ ²³ ⁵⁶ as well as developing a research culture valuing and promoting the benefits of Open Science practices. 16 23 Motivation for Open Science can be addressed by providing incentives, such as awarding funding to research-embedding open practices.⁵⁷ Similarly, Open Science badges recognising open data, materials and pre-registration have been adopted by journals as a simple, low-cost scheme to reward these research



behaviours.⁵⁸ However, uptake of Open Science badges in physical activity journals is currently low and is rife for increased uptake in the field.

Strengths and limitations

A strength of this study is the implementation of a comprehensive and previously used approach to identify Open Science practices. Moreover, two researchers independently carried out the coding of Open Science practices, reducing the risk of human error and maximising reliability.⁵⁹ A limitation is that the search and screening processes were conducted by a single author. However, unlike systematic reviews, we did not attempt to conduct a comprehensive search to identify all relevant research but to select a somewhat random subsample to analyse Open Science practices and inform specific recommendations for future research. In this regard, it is worth acknowledging that results are based on a relatively small sample of physical activity behaviour change reports, meaning findings may not be applicable to all physical activity research. Last, the assessment of Open Science practices was entirely dependent on what was described within evaluation reports. Direct requests to authors or additional wider searching of third-party registries such as Open Science Framework may have identified additional information.

CONCLUSIONS

Open Science practices in physical activity behaviour change intervention reports were varied. Open access publication and pre-registration of research plans were common, although pre-registration was often done retrospectively, that is, after data collection has started, hence not in the most transparent manner. Provision of open data, materials and analysis was rare and replication attempts were non-existent. Funding sources and conflicts of interest were usually declared. Urgent initiatives are needed to increase the uptake of all Open Science practices in physical activity, with a particular focus on open materials, data, analysis scripts and replication attempts.

Twitter Emma Norris @EJ_Norris

Acknowledgements Thanks to the Human Behaviour-Change Project.

Contributors EN: Conceptualisation, data curation, formal analysis, investigation, methodology, project administration, resources, software, supervision, validation, visualisation, writing—original draft, writing—review and editing, guarantor. IS: Data curation, formal analysis, writing—review and editing. ANF: Formal analysis, software, writing—original draft, writing—review and editing. OC: Conceptualisation, data curation, formal analysis, investigation, methodology, writing—original draft, writing—review and editing.

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests None declared.

Patient and public involvement Patients and/or the public were not involved in the design, or conduct, or reporting, or dissemination plans of this research.

Patient consent for publication Not applicable.

Ethics approval Not applicable.

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement Data are available in a public, open access repository. All data from this study are available here: https://osf.io/t5gw4/

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution 4.0 Unported (CC BY 4.0) license, which permits others to copy, redistribute, remix, transform and build upon this work for any purpose, provided the original work is properly cited, a link to the licence is given, and indication of whether changes were made. See: https://creativecommons.org/licenses/by/4.0/.

ORCID ID

Emma Norris http://orcid.org/0000-0002-9957-4025

REFERENCES

- 1 Munafò MR, Nosek BA, Bishop DVM, et al. A manifesto for reproducible science. Nat Hum Behav 2017:1:1–9.
- 2 Head ML, Holman L, Lanfear R, et al. The extent and consequences of p-hacking in science. PLoS Biol 2015;13:e1002106.
- 3 Simmons JP, Nelson LD, Simonsohn U. False-Positive psychology: undisclosed flexibility in data collection and analysis allows presenting anything as significant. *Psychol Sci* 2011;22:1359–66.
- 4 Murphy KR, Aguinis H. HARKing: how badly can Cherry-Picking and question Trolling produce bias in published results? J Bus Psychol 2019;34:1–17.
- 5 Munafò MR, Hollands GJ, Marteau TM. Open science prevents mindless science. BMJ 2018;363:k4309.
- 6 Nosek BA, Spies JR, Motyl M. Scientific utopia: II. restructuring incentives and practices to promote truth over Publishability. Perspect Psychol Sci 2012;7:615–31.
- 7 Science FO. Open science definition | foster, 2021. Available: https://www.fosteropenscience.eu/foster-taxonomy/open-science-definition [Accessed 03 Nov 2021].
- 8 Kathawalla U-K, Silverstein P, Syed M. Easing into open science: a guide for graduate students and their advisors. Collabra Psychol 2021:7.
- 9 Norris E, O'Connor DB. Science as behaviour: using a behaviour change approach to increase uptake of open science. *Psychol Health* 2019;34:1397–406.
- 10 Field SM, Wagenmakers E-J, Kiers HAL, et al. The effect of preregistration on trust in empirical research findings: results of a registered report. R Soc Open Sci 2020;7:181351.
- 11 Yamada Y. How to crack PRE-REGISTRATION: toward transparent and open science. *Front Psychol* 2018;9:1831.
- 12 Sullivan I, DeHaven A, Mellor D. Open and reproducible research on open science framework. Curr Protoc Essent Lab Tech 2019;18:e32.
- 13 Shamseer L, Moher D, Clarke M, et al. Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015: elaboration and explanation. BMJ 2015;349:p. 7647:q7647.
- 14 Bakker M, Veldkamp CLS, van Assen MALM, et al. Ensuring the quality and specificity of preregistrations. PLoS Biol 2020;18:e3000937.
- 15 Nosek BA, Alter G, Banks GC, et al. Promoting an open research culture. Science 2015;348:1422–5.
- 16 Piwowar H, Priem J, Larivière V, et al. The state of oa: a large-scale analysis of the prevalence and impact of open access articles. PeerJ 2018;6:e4375.
- 17 Caldwell AR, Vigotsky AD, Tenan MS, et al. Moving sport and exercise science forward: a call for the adoption of more transparent research practices. Sports Med 2020;50:449–59.
- 18 Halperin I, Vigotsky AD, Foster C, et al. Strengthening the practice of exercise and Sport-Science research. Int J Sports Physiol Perform 2018;13:127–34.
- Büttner F, Toomey E, McClean S, et al. Are questionable research practices facilitating new discoveries in sport and exercise medicine? the proportion of supported hypotheses is implausibly high. Br J Sports Med 2020;54:1365–71.
- 20 Hardwicke TE, Wallach JD, Kidwell MC, et al. An empirical assessment of transparency and reproducibility-related research

- practices in the social sciences (2014–2017). R Soc Open Sci 2020:7:190806.
- 21 Hardwicke TE, Thibault RT, Kosie JE. Estimating the prevalence of transparency and Reproducibility-Related research practices in psychology (2014–2017). Perspect Psychol Sci p 2021.
- 22 Norris E, He Y, Loh R. Assessing markers of reproducibility and transparency in smoking behaviour change intervention evaluations. J Smok Cessat 2021;2021:e6694386:12.
- 23 Wallach JD, Boyack KW, Ioannidis JPA. Reproducible research practices, transparency, and open access data in the biomedical literature, 2015-2017. PLoS Biol 2018;16:e2006930.
- 24 Rowhani-Farid A, Barnett AG. Badges for sharing data and code at *biostatistics*: an observational study. *F1000Res* 2018;7:90.
- 25 Norris E, Castro O. Assessing open science practices in physical activity behaviour change intervention evaluations. medRxiv 2021.
- 26 Michie S, Thomas J, Johnston M, et al. The human Behaviour-Change project: harnessing the power of artificial intelligence and machine learning for evidence synthesis and interpretation. Implement Sci 2017;12:121.
- 27 Michie S, Thomas J, Mac Aonghusa P, et al. The human Behaviour-Change project: an artificial intelligence system to answer questions about changing behaviour. Wellcome Open Res 2020;5:122.
- 28 Microsoft. Academic Microsoft. Available: https://www.microsoft.com/en-us/research/project/academic/ [Accessed 11 Apr 2022].
- 29 Soup C. Random number generator. Available: https://www.calculatorsoup.com/calculators/statistics/random-number-generator. php [Accessed 06 Jan 2021].
- 30 Loder E, Loder S, Cook S. Characteristics and publication fate of unregistered and retrospectively registered clinical trials submitted to The BMJ over 4 years. BMJ Open 2018;8:e020037.
- 31 Button OA. Open access button, 2021. Available: https://openaccessbutton.org/ [Accessed 06 Jan 2021].
- 32 Bowley C. Bringing open access into Interlibrary loan with the open access button. LIS Scholarship Archive, 2018.
- 33 Larivière V, Sugimoto CR. The Journal Impact Factor: A Brief History, Critique, and Discussion of Adverse Effects. In: Glänzel W, Moed HF, Schmoch U, et al, eds. Springer Handbook of science and technology indicators. Cham: Springer International Publishing, 2019: 3–24.
- 34 Chua SK, Qureshi AM, Krishnan V, et al. The impact factor of an open access Journal does not contribute to an article's citations. F1000Res 2017;6:208.
- 35 Norris E, Finnerty AN, Castro O. Google form for data extraction. Available: https://osf.io/5vsg6/ [Accessed 06 Apr 2022].
- 36 Hayes AF, Krippendorff K. Answering the call for a standard reliability measure for coding data. Commun Methods Meas 2007;1:77–89.
- 37 Finnerty AN. Open science in physical activity Irr script. Available: https://osf.io/t5gw4/ [Accessed 06 Apr 2022].
- 38 Wright AJet al. Ontologies relevant to behaviour change interventions: a method for their development [version 3; peer review: 2 approved, 1 approved with reservations]. Wellc Open Res 2020:5.
- 39 Ek A, Alexandrou C, Söderström E, et al. Effectiveness of a 3-month mobile Phone-Based behavior change program on active transportation and physical activity in adults: randomized controlled trial. JMIR Mhealth Uhealth 2020;8:e18531.
- 40 Tudor-Locke C, Schuna JM, Swift DL, et al. Evaluation of Step-Counting interventions differing on intensity messages. J Phys Act Health 2020;17:21–8.

- 41 Kayser JW, Cossette S, Côté J, et al. A web-based tailored nursing intervention (TAVIE en m@rche) aimed at increasing walking after an acute coronary syndrome: Multicentre randomized trial. J Adv Nurs 2019;75:2727–41.
- 42 Nooijen CFJ, Blom V, Ekblom Örjan, et al. The effectiveness of multicomponent interventions targeting physical activity or sedentary behaviour amongst office workers: a three-arm cluster randomised controlled trial. BMC Public Health 2020;20:1329.
- 43 Poppe L, De Bourdeaudhuij I, Verloigne M, et al. Efficacy of a Self-Regulation-Based electronic and mobile health intervention targeting an active lifestyle in adults having type 2 diabetes and in adults aged 50 years or older: two randomized controlled trials. J Med Internet Res 2019;21:e13363.
- 44 Chambers C. What's next for registered reports? *Nature* 2019;573:187–9.
- 45 Scheel AM, Schijen MRMJ, Lakens D. An excess of positive results: comparing the standard psychology literature with registered reports. Adv Methods Pract Psychol Sci 2021;4:251524592110074 68:251524592110074.
- 46 Basu AP, Pearse JE, Rapley T. Publishing protocols for trials of complex interventions before trial completion - potential pitfalls, solutions and the need for public debate. *Trials* 2017;18:5.
- 47 Deaton A, Cartwright N. Understanding and misunderstanding randomized controlled trials. Soc Sci Med 2018;210:2–21.
- 48 Tetzlaff JM, Chan A-W, Kitchen J, et al. Guidelines for randomized clinical trial protocol content: a systematic review. Syst Rev 2012;1:43.
- 49 Severin A, Egger M, Eve MP. Discipline-specific open access publishing practices and barriers to change: an evidence-based review. F1000Res 2020.
- 50 Flanagin A, Fontanarosa PB, Bauchner H. Preprints involving medical Research-Do the benefits outweigh the challenges? *JAMA* 2020;324:1840–3.
- 51 McVay MA, Conroy DE. Transparency and openness in behavioral medicine research. *Transl Behav Med* 2021;11:287–90.
- 52 Michie S, Johnston M. Theories and techniques of behaviour change: developing a cumulative science of behaviour change. Health Psychol Rev 2012:6:1–6.
- 53 Willmott T, Rundle-Thiele S. Are we speaking the same language? call for action to improve theory application and reporting in behaviour change research. *BMC Public Health* 2021;21:479.
- 54 Michie S, van Stralen MM, West R. The behaviour change wheel: a new method for characterising and designing behaviour change interventions. *Implement Sci* 2011;6:42.
- 55 Osborne C, Norris E. Pre-registration as behaviour: developing an evidence-based intervention specification to increase preregistration uptake by researchers using the behaviour change wheel. *Cogent Psychol* 2022;9:1.
- 56 Orben A. A Journal Club to fix science. Nature 2019;573:465-6.
- 57 Munafò MR, Chambers CD, Collins AM, et al. Research culture and reproducibility. *Trends Cogn Sci* 2020;24:91–3.
- 58 Kidwell MC, Lazarević LB, Baranski E, et al. Badges to acknowledge open practices: a simple, low-cost, effective method for increasing transparency. PLoS Biol 2016;14:e1002456.
- 59 Gwet KL. Handbook of inter-rater reliability: The definitive guide to measuring the extent of agreement among raters. 4th Ed. Advanced Analytics LLC, 2014I.