



Hydrothermal carbonization of digested sludge from wastewater treatment plants: Processes, potential and key challenges

Nina Kossinśka^{a,b}, Renata Krzyżyńska^a, Heba Ghazal^c, Hussam Jouhara^{d,e}, Marzena Kwapińska^b, Witold Kwapiński^{b,*}

^a Wrocław University of Science and Technology, Faculty of Environmental Engineering, Wyb. Wyspińskiego 27, 50-370 Wrocław, Poland

^b University of Limerick, Chemical Sciences Department, Bernal Institute, V94 T9PX Limerick, Ireland

^c School of Pharmacy and Chemistry, Kingston University, Kingston Upon Thames KT1 2EE, UK

^d Heat Pipe and Thermal Management Research Group, College of Engineering, Design and Physical Sciences, Brunel University London, Uxbridge, Middlesex UB8 3PH, UK

^e Vytautas Magnus University, Studentu Str. 11, LT-53362 Akademija, Kaunas Distr., Lithuania

ARTICLE INFO

Keywords:

Hydrothermal carbonization
Wastewater treatment plants
Digested sludge
Circular economy
Sustainable resource recovery

ABSTRACT

The presentation reviews hydrothermal carbonization of digested sludge as a complementary technology for sludge management at wastewater treatment plants. The motivation for expanding the knowledge of hydrothermal carbonization is the challenges of wastewater treatment plants: the increasing volume of sludge, high moisture content, the presence of organic and inorganic contaminants, rising disposal costs, and legislative amendments. Hydrothermal carbonization makes it possible to convert wet sludge under conditions (160–250 °C, 10–30 bar) into hydrophobic hydrochars, but also liquids and gases, eliminating the need for drying. The process also offers heat recovery and integration into existing wastewater treatment plant infrastructure. A key aspect of implementing hydrothermal carbonization is understanding the impact of individual process parameters and their interactions on chemical reaction pathways, and optimizing operating conditions for specific applications. The presentation discusses two pathways for hydrochar utilization: as soil additives or as fuels in thermal processes, assessing their environmental and legal potential. Process liquids were evaluated as a source of valuable resources that can be recovered or used in situ. Despite the compatibility of hydrothermal carbonization with Green Deal policies, challenges related to energy efficiency, legislative compliance, public acceptance, and high investment costs for integrated thermal technologies still need to be addressed. Overcoming these barriers will enable the implementation of hydrothermal carbonization as a sustainable technology in a circular economy.

Video to this article can be found online at <https://doi.org/10.1016/j.sctalk.2025.100457>.

* Corresponding author at: University of Limerick, Chemical Sciences, V94 T9PX Limerick, Ireland.
E-mail address: witold.kwapinski@ul.ie (W. Kwapiński).

Figures and Tables




Fig. 1. Sewage Sludge Management System.




Fig. 2. Hydrothermal carbonization of digested sludge.




Fig. 3. Phase diagram of water under subcritical and supercritical conditions [1].




Fig. 4. Dependence of water properties on hydrothermal conditions [2].




Fig. 5. HTC reaction mechanisms (160–250 °C).




Fig. 6. Scenario 1: Circular economy with HTC process for direct hydrochar use in agriculture.




Fig. 7. Scenario 2: Circular economy with HTC process integrated with thermal methods for residue use in agriculture.

CRedit authorship contribution statement

Nina Kosińska: Writing – review & editing, Writing – original draft, Visualization, Validation, Formal analysis, Data curation, Conceptualization. **Renata Krzyżyńska:** Writing – review & editing. **Heba Ghazal:** Writing – review & editing. **Hussam Jouhara:** Writing – review & editing. **Marzena Kwapińska:** Writing – review & editing. **Witold Kwapiński:** Writing – review & editing, Visualization, Validation, Supervision, Conceptualization.

Acknowledgments

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

Declaration of interests

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Data availability

No data was used for the research described in the article.

References

- [1] C.A. Che, P.M. Heynderickx, Hydrothermal carbonization of plastic waste: a review of its potential in alternative energy applications, *Fuel Commun.* 18 (2024), 100103.
- [2] Z.X. Xu, X.Q. Ma, J. Zhou, P.G. Duan, W.Y. Zhou, A. Ahmad, R. Luque, The influence of key reactions during hydrothermal carbonization of sewage sludge on aqueous phase properties: a review, *J. Anal. Appl. Pyrolysis* 167 (2022), 105678.

Further reading

- [1] N. Kosińska, R. Krzyżyńska, H. Ghazal, H. Jouhara, Hydrothermal carbonisation of sewage sludge and resulting biofuels as a sustainable energy source, *Energy* 275 (2023), 127337.
- [2] N. Kosińska, A. Grosser, M. Kwapińska, W. Kwapiński, H. Ghazal, H. Jouhara, R. Krzyżyńska, Co-hydrothermal carbonization as a potential method of utilising digested sludge and screenings from wastewater treatment plants towards energy application, *Energy* 299 (2024), 131456.
- [3] https://environment.ec.europa.eu/topics/water/urban-wastewater_en (accessed on 8 September 2024).
- [4] <https://www.consilium.europa.eu/en/press/press-releases/2024/11/05/urban-waste-water-council-adopts-new-rules-for-more-efficient-treatment/> (accessed on 8 September 2024).
- [5] https://environment.ec.europa.eu/topics/waste-and-recycling/sewage-sludge_en?prefLang=pl#evaluation (accessed on 8 September 2024).
- [6] https://environment.ec.europa.eu/publications/eu-soil-strategy-2030_en?prefLang=nl (accessed on 8 September 2024).
- [7] <https://zpe.gov.pl/a/przeciwtaj/D10YT7AyN> (accessed on 8 September 2024).
- [8] K.Q. Tran, T.T. Trinh, New insights into the hydrothermal carbonization process of sewage sludge: a reactive molecular dynamics study, *Fuel* 361 (2024), 130692.

- [9] A. Picone, M. Volpe, A. Messineo, Process water recirculation during hydrothermal carbonization of waste biomass: current knowledge and challenges, *Energies* 14 (10) (2021) 2962.
- [10] K. Nahar, A.V. Thulasiraman, A.K. Vuppaladadiyam, I.G. Hakeem, K. Shah, Current understanding on the fate of contaminants during hydrothermal treatment of sewage sludge, *Curr. Opin. Green Sustain. Chem.* 49 (2024), 100960.
- [11] M. Langone, D. Basso, Process waters from hydrothermal carbonization of sludge: characteristics and possible valorization pathways, *Int. J. Environ. Res. Public Health* 17 (18) (2020) 6618.
- [12] M. Wilk, K. Czerwińska, M. Śliz, M. Imbierowicz, Hydrothermal carbonization of sewage sludge: Hydrochar properties and processing water treatment by distillation and wet oxidation, *Energy Rep.* 9 (2023) 39–58.
- [13] E. Danso-Boateng, G. Shama, A.D. Wheatley, S.J. Martin, R.G. Holdich, Hydrothermal carbonization of sewage sludge: effect of process conditions on product characteristics and methane production, *Bioresour. Technol.* 177 (2015) 318–327.
- [14] C.I. Aragón-Briceño, A.B. Ross, M.A. Camargo-Valero, Mass and energy integration study of hydrothermal carbonization with anaerobic digestion of sewage sludge, *Renew. Energy* 167 (2021) 473–483.
- [15] M. Nyström, Mobile biomass HTC-processing unit, Plant Design, Aalto University School of Chemical Technology, Helsinki, Finland, 2016.