






Optimizing Small-Scale Surgery Scheduling with Large Language Model

Fang Wan¹^a, Julien Fondrevelle¹^b, Tao Wang²^c, Kezhi Wang³^d and Antoine Duclos⁴^e

¹INSA LYON, Université Lyon2, Université Claude Bernard Lyon1, Université Jean Monnet Saint-Etienne, DISP UR4570, Villeurbanne, France

²Université Jean Monnet Saint-Etienne, INSA LYON, Université Lyon2, Université Claude Bernard Lyon, DISP UR4570, Roanne, France

³Department of Computer Science, Brunel University London, Uxbridge, Middlesex, U.K.

⁴Research on Healthcare Performance RESHAPE, INSERM U1290, Université Claude Bernard, Lyon 1, France

Keywords: Surgery Scheduling, Large Language Model, Combinatorial Optimization, Multi-Objective.

Abstract: Large Language Model (LLM) have recently been widely used in various fields. In this work, we apply LLMs for the first time to a classic combinatorial optimization problem—surgery scheduling—while considering multiple objectives. Traditional multi-objective algorithms, such as the Non-Dominated Sorting Genetic Algorithm II (NSGA-II), usually require domain expertise to carefully design operators to achieve satisfactory performance. In this work, we first design prompts to enable LLM to directly solve small-scale surgery scheduling problems. As the scale increases, we introduce an innovative method combining LLM with NSGA-II (LLM-NSGA), where LLM act as evolutionary optimizers to perform selection, crossover, and mutation operations instead of the conventional NSGA-II mechanisms. The results show that when the number of cases is up to 40, LLM can directly obtain high-quality solutions based on prompts. As the number of cases increases, LLM-NSGA can find better solutions than NSGA-II.


1 INTRODUCTION


Recent advancements in large language model (LLM) have shown impressive performance in various fields (Thirunavukarasu et al., 2023; Chang et al., 2024; Kasneci et al., 2023). By learning from extensive textual data, these models have acquired substantial human knowledge, displaying notable capabilities in reasoning and decision-making (Ge et al., 2024; Yao et al., 2024). Consequently, a question arises: Can LLM be used to solve complex combinatorial optimization problems, or assist evolutionary algorithms in tackling such problems? By harnessing the vast knowledge base and reasoning abilities of LLM, we can potentially revolutionize the way we approach complex optimization challenges.


This work pioneers the use of LLM to solve multi-objective combinatorial optimization problems--


surgery scheduling. Firstly, we designed prompts to allow the LLM to directly solve small-scale surgery scheduling problems. As the scale increases, we introduce an innovative method that combines LLM and Non-Dominated Sorting Genetic Algorithm II (NSGA-II) (LLM-NSGA). During the evolutionary search process, LLM-NSGA guides the LLM to perform crossover and mutation to generate new solutions, replacing the traditional selection, crossover, and mutation of NSGA-II (Ruiz-Vélez et al., 2024).


From the design perspective of NSGA-II, LLM-NSGA has two appealing features. Firstly, by altering the problem description and solution specifications in the prompt, LLM-NSGA optimization can quickly adapt to different optimization problems. This method is more direct and flexible compared to traditional programming, requiring minimal domain

^a <https://orcid.org/0000-0003-1049-4959>

^b <https://orcid.org/0000-0002-8505-0212>

^c <https://orcid.org/0000-0001-8100-6743>

^d <https://orcid.org/0000-0001-8602-0800>

^e <https://orcid.org/0000-0002-8915-4203>

knowledge and manpower. Secondly, the zero-shot learning capability of LLM-NSGA is particularly noteworthy, as it reduces the computational overhead associated with training AI models on specific tasks. This is a significant advantage in scenarios where resources are limited or where rapid adaptation to new problems is required.

2 LITERATURE REVIEW

Over the past three years, the scaling of LLM has led to groundbreaking achievements across a myriad of tasks (Kirk et al., 2024; Schwitzgebel et al., 2024), particularly planning and mathematical problem. Gundawar et al., (2024) delves into the practical application of LLM within the domain of travel planning, and uses the Travel Planning benchmark by the OSU NLP group. Their operationalization of the LLM-Modulo framework for Travel Planning domain provides a remarkable improvement, enhancing baseline performances by 4.6x for GPT4-Turbo and even more for older models like GPT3.5-Turbo from 0% to 5%. Chen et al., (2024) used LLM as general adaptive mutation and crossover operators for an evolutionary neural architecture search (NAS) algorithm. While NAS still proves too difficult a task for LLM to succeed at solely through prompting, but combination of evolutionary prompt engineering, consistently finds high performing models.

“Prompts” refers to instructions designed to guide LLM to complete a specific task. These instructions are usually given in natural language to tell the model what to do or how to process the given information. A large number of studies have shown that the format of the prompt can significantly impact the quality of the LLM's output (Qi et al., 2023; Liu et al., 2024). Wang et al., (2024a) evaluated LLM with various prompting approaches on the Natural Language Graph benchmark and then propose two new Prompts, which enhance LLM in solving natural language graph problems. Wang et al., (2024b) explore the application of prompt engineering in LLMs, designing and using different styles of prompts to ask LLMs professional medical questions. They assessed the reliability of different prompts by asking the same question 5 times. The results showed that GPT-4-Web with prompting had the highest overall consistency.

In this work, by designing appropriate prompts, LLM can directly solve small-scale operating room (OR) allocation, and at the same time combine the classic multi-objective algorithm NSGA-II to solve large-scale OR allocation. The success of LLM in

surgery scheduling not only demonstrates its effectiveness in a practical application but also opens the door for further exploration into other combinatorial optimization problems.

3 MATHEMATICAL MODEL

The surgery scheduling problem discussed involves: first, assigning ORs to elective patients, and after the surgeries are completed, some patients require recovery in Intensive Care Unit (ICU) beds. Our model primarily addresses how to allocate ORs to elective patients to minimize overtime hours, meet the patients' time window requirements, and simultaneously reduce the peak demand for ICU beds.

Set

I : Set of elective patient
 J : Set of operating room
 T : Set of planning horizon

Parameters

Q : Regular opening hours per OR
 α : Unit overtime cost for over regular hours
 C : The opening costs per OR,

Variables

B_t : Number of ICU beds on day t ,
 O_{jt} : Opening hours in OR j on day t ,
 Cu_t : All ICU patients not discharged on day t ,
 D_i : Surgery duration for elective patient i ,
 Tw_i : Expected surgery date for elective patient i ,
 Lel_i : LOS of elective patient i ,

Decision Variables:

$Bf(m, A)$: If the element m belongs to the set A , it is 0, otherwise 1.

x_{ijt} : If elective patient i is scheduled to be operated in OR j on day t , it is 1, otherwise 0.

y_{jt} : If OR j is open on day t , it is 1, otherwise 0.

Z_i : If elective patient i needs an ICU bed, it is 1, otherwise 0.

Mathematical Model:

$$\min f1 = C * \sum_{t=1}^T \sum_{j=1}^J y_{jt} + \alpha * \sum_{t=1}^T (\max(\sum_{j=1}^J O_{jt} - Q, 0)) \quad (1)$$

$$\min f2 = (I - \sum_{i=1}^I \sum_{t=1}^T \sum_{j=1}^J x_{ijt}) \quad (2)$$

$$\min f3 = \sum_{t=1}^T \sum_{j=1}^J \sum_{i=1}^I x_{ijt} * Bf(t, Tw_i) \quad (3)$$

$$\min f4 = \max(B_1, \dots, B_t, \dots, B_T) \quad (4)$$

Subject to

$$O_{jt} = y_{jt} * \sum_{i=1}^I D_i * x_{ijt}, \forall t, j \quad (5)$$

$$C_{ut} = \sum_{i=1}^I \sum_{o=t-L_{el}+1}^t \sum_{j=S_r+1}^{Y_i} Z_i * x_{ijo} \leq B_t, \forall t \quad (6)$$

$$\sum_{t=1}^T \sum_{j=1}^J x_{ijt} \leq 1, \forall i \quad (7)$$

$$y_{jt} \geq x_{ijt}, \forall t, \forall j, \forall i \quad (8)$$

$$x_{ijt} \in \{0, 1\}, \forall t, \forall j, \forall i \quad (9)$$

$$y_{jt} \in \{0, 1\}, \forall t, \forall j \quad (10)$$

$$Z_i \in \{0, 1\}, \forall i \quad (11)$$

Eqs. (1-4) are the four objective functions: $f1$ minimizes the total cost, including OR opening costs and overtime costs; $f2$ and $f3$ are the number of elective patients rejected and not operated within their time window. $f4$ is the peak number of ICU beds over all the periods.

Constraint (5) is the opening time of OR. Constraint (6) calculates the total ICU bed demand for elective patients. Constraint (7) indicates that elective patients are scheduled only once during the planning horizon. Constraint (8) represents the relationship between two decision variables. Constraints (9-11) shows the domain of variables.

4 METHODS AND RESULTS

To better demonstrate the effectiveness of LLM in solving surgery scheduling, we employ three frameworks to address this problem. Each framework leverages different strategies and methodologies to optimize surgery scheduling, which can lead to varied outcomes and insights.

We have prepared 5 ORs, open for a week, to schedule surgeries for 300 elective patients. Opening an OR costs 1000, and each one is normally open for 8 hours. The overtime cost is 200 per hour. The details of these patients are presented in Table 1. It contains 5 columns, "No." is the patient number. "Exe." is the expected date for patient undergoing surgery. "Sur." is the surgery duration in minutes. "LOS" is the length of stay after surgery in days. "Stay" represents whether the patient needs ICU bed after surgery (1 represents yes and 0 represents no).

Table 1: The Information for elective patients.

No.	Exe.	Sur.	LOS	Stay
1	6	114	5	0
2	5	118	5	1
3	7	179	1	0
4	7	122	5	0
5	4	102	5	0
6	2	105	5	0
7	5	157	4	0
8	5	67	4	1
9	1	124	4	1
10	6	164	5	0
.....				
300	5	85	3	1

4.1 LLM Approach

This framework uses LLM to understand and solve the OR allocation issue. The process is shown in Figure 1. The LLM is given a thorough explanation of the scheduling rules and goals. This allows the model to create solutions that consider the complex interdependencies of OR and ICU bed, such as duration, LOS, and resource availability. The LLM then gives steps to find a solution based on what it's asked (called prompts) and makes a list of how to schedule ORs using patient information and the limitations given.




Figure 1: LLM approach framework.

To facilitate the display of results, Figure 2 shows the OR and ICU bed arrangements by the LLM for the first 10 elective patients listed in Table 1.

- $f1 = 6000$: The total cost includes the cost of opening the ORs and overtime if the surgeries extended beyond the regular hours. All surgeries were completed within the regular operating hours, thus avoiding overtime costs.

- $f2 = 0$: This indicates that none of the elective patients were turned away due to OR constraints, meaning the schedule was successful in accommodating all patients.

- $f_3 = 0$: This suggests that all surgeries were performed on their patients' expected dates, with no rescheduling required.

- $f_4 = 2$: This shows that, according to the plan, a maximum of two ICU beds were needed at any given time during the planning period.

Surgery Schedule:

Patient ID	Surgery Date	Surgery Duration	Allocated OR	Time Slot
1	Day 6	114 min	OR1	8:00 AM - 9:54 AM
2	Day 5	118 min	OR2	8:00 AM - 9:58 AM
3	Day 7	179 min	OR3	8:00 AM - 10:59 PM
4	Day 7	122 min	OR3	1:00 PM - 3:02 PM
5	Day 4	102 min	OR5	8:00 AM - 9:42 AM
6	Day 2	105 min	OR1	1:00 PM - 3:45 PM
7	Day 5	157 min	OR2	10:30 AM - 1:07 PM
8	Day 5	67 min	OR2	2:00 PM - 3:07 PM
9	Day 1	124 min	OR4	8:00 AM - 10:04 AM
10	Day 6	164 min	OR1	10:15 AM - 12:59 PM

ICU Beds Needed:

Date	ICU Beds Needed
Day 1	1 (Patient 9)
Day 2	1 (Patient 9)
Day 3	1 (Patient 9)
Day 4	1 (Patient 9)
Day 5	2 (Patients 2, 8)
Day 6	2 (Patients 2, 8)
Day 7	2 (Patients 2, 8)

Figure 2: LLM approach results.

This outcome suggests that the LLM performed very well in creating an allocation plan that met all the objectives for the given scenario. It managed to schedule all elective surgeries on their expected dates, without incurring any additional costs or rejecting any patients, while also minimizing the peak number of ICU beds required.

4.2 Traditional Approach: NSGA-II

This framework extends the NSGA-II to address the allocation of OR and ICU beds for elective surgeries, as illustrated in Figure 3. NSGA-II could maintain a diverse set of solutions and its efficiency in handling multiple objectives simultaneously (Harane et al., (2024); Altanany et al., (2024)), ensuring optimized resource allocation and improved operational efficiency in healthcare settings.

The traditional NSGA-II method was used to assign ORs to these ten elective patients. The coding method is shown in Figure 4. When allocating ORs to elective patients, on the premise of avoiding overtime in the OR and delaying elective patients, open ORs as little as possible and arrange ICU beds at staggered times.




Figure 3: Traditional approach framework: NSGA-II.




Figure 4: The coding method of NSGA-II.

Figure 5 shows the OR allocation results. The corresponding four objectives are $f_1 = 6000$, $f_2 = 0$, $f_3 = 0$, and $f_4 = 2$.




Figure 5: ORs assignment of NSGA-II.

4.3 Approach Combining LLM and NSGA-II

This is a hybrid framework that combines the strengths of LLM and NSGA-II. LLM-NSGA integrates LLM as evolutionary operators in a zero-shot learning context. This means that the LLM is utilized without any additional training specific to the task at hand. The process involves the LLM in

performing key genetic algorithm operations such as parent selection and genetic variation (crossover and mutation) through an in-context learning approach facilitated by carefully designed prompts. Figure 6 displays the prompts structured for solving the OR and ICU bed allocation problem using LLM-NSGA.




Figure 6: LLM-NSGA approach framework.

1. Crossover:

• Day 2 and Day 5 Swap:

- Swap Patient 2 from Day 2 with Patient 6 on Day 5.
- This aligns Patient 6 with their expected date in Day 2 and moves Patient 2 to Day 5, resulting in [8, 2, 7] in Day 5.

2. Mutation:

• Insert Patient 1:

- Insert Patient 1 into Day 6 alongside Patient 10.

Explanation

By using crossover to swap the patient positions between Day 2 and Day 5, we achieve the desired arrangement. The mutation operation involves adding an unscheduled patient (Patient 1) into the available slot in Day 6.

Figure 7: Crossover and mutation of LLM-NSGA.

LLM-NSGA is that it does not program the evolutionary operators step-by-step as it is traditionally done. Instead, it provides high-level instructions using natural language, reducing the need for in-depth domain-specific knowledge.

To facilitate the presentation of results, this plan only allocates OR and ICU beds to the first ten elective patients in Table 1. Based on the randomly generated initial allocation (as shown in Table 2), the

Table 2: The initial allocation solution.

Date	OR	Patients sequence
Day 1	1	[9]
Day 2	1	[2]
Day 3	1	[]
Day 4	1	[5]
Day 5	1	[8,7,6]
Day 6	1	[10]
Day 7	1	[4,3]

four objectives are $f1 = 6000$, $f2 = 1$, $f3 = 2$, and $f4 = 2$, where elective patient 1 is not assigned OR and elective patients 2 and 6 do not undergo surgery on the desired date.

The LLM-NSGA then refines this initial plan by performing crossover and mutation operations to enhance the allocation, as shown in Figure 7. The LLM effectively took into account the needs of patients 1, 2, and 6, guided by the model's constraints and objectives. The process is analogous to the mutation and crossover steps in the NSGA-II algorithm.

Table 3 displays the "Final Allocation" that results from these operations starting from the initial plan. The final objectives are: $f1 = 6000$, $f2 = 0$, $f3 = 0$, and $f4 = 2$. With the goal of minimizing all four objectives, the crossover and mutation process successfully improved objectives $f2$ and $f3$ to zero.

Table 3: The final allocation solution.

Date	OR	Patients sequence
Day 1	1	[9]
Day 2	1	[6]
Day 3	1	[]
Day 4	1	[5]
Day 5	1	[8,7,2]
Day 6	1	[10,1]
Day 7	1	[4,3]

4.4 Comparative Analysis

The parameters for NSGA-II were meticulously calibrated through experimental tests and implemented in MATLAB R2023a on Windows 10 (X64). We utilized the chat-turbo-0613 version of the GPT-4.0 API as our LLM. The model and algorithm parameters are shown in Table 4.

Table 4: The parameters of the model and NSGA-II.

Parameter	Value	Explanation
T	7	Planning horizon
Q	8	Regular hours of OR
Qmax	10	Maximum hours of OR
a	200	Overtime fee of OR
OR	5	Number of OR
C	1000	Opening fee of OR
P	100	Population size
Iter	200	Number of iterations
Mr	0.1	Mutation rate
Cr	0.7	Crossover rate

These three methods can allocate ORs for the 10 elective and find the optimal solution. However, as the number of elective patients increases, for example,

when it reaches 50, LLM cannot balance the constraints and goals effectively. Instead, it is recommended to use linear programming or genetic algorithms for specific calculations and optimization. Figure 8 shows how the four optimization objectives of the three methods change as the number of elective patients increases.




Figure 8: Four objectives of the three methods.

The LLM ceases to provide allocation plans once the patient count exceeds 40. When the number of elective patients is less than 150, the effects of LLM-NSGA and NSGA-II on f_2 , f_3 , and f_4 are same, but the f_1 of NSGA-II is higher. This indicates that both methods can schedule surgeries for all patients on their expected dates, but they differ in how patients are ordered within the ORs. LLM-NSGA arranges patients more efficiently, resulting in lower overtime costs. When the number of patients exceeds 150, LLM-NSGA finds better allocation plans, rejecting fewer patients. Although this may lead to more patients not having surgeries on their expected dates, the peak number of ICU beds required is also reduced.

5 CONCLUSIONS

In this work, we explore how LLM can directly provide solutions for small-scale surgery scheduling problems and can also serve as evolutionary optimizers, where the LLM generates new solutions based on the current population, providing high-quality solutions for large-scale cases. Nonetheless, LLM still has limitations in handling relatively large problems. By adjusting the prompts given to LLM, it may be possible for LLM to solve large-scale problems step by step based on the prompts.

ACKNOWLEDGEMENTS

This work is partially supported by HarmonicAI - Human-guided collaborative multi-objective design of explainable, fair and privacy-preserving AI for digital health distributed by European Commission (Call: HORIZON-MSCA-2022-SE-01-01, Project number: 101131117 and UKRI grant number EP/Y03743X/1)

The authors sincerely acknowledge the financial support (n°23 015699 01) provided by the Auvergne Rhône-Alpes region.

REFERENCES

- Altanany, M. Y., Badawy, M., Ebrahim, G. A., & Ehab, A. (2024). Modeling and optimizing linear projects using LSM and Non-dominated Sorting Genetic Algorithm (NSGA-II). *Automation in Construction*, 165, 105567.
- Chang, Y., Wang, X., Wang, J., Wu, Y., Yang, L., Zhu, K., ... & Xie, X. (2024). A survey on evaluation of large language model. *ACM Transactions on Intelligent Systems and Technology*, 15(3), 1-45.
- Chen, A., Dohan, D., & So, D. (2024). Evoprompting: Language models for code-level neural architecture search. *Advances in Neural Information Processing Systems*, 36.
- Ge, Y., Hua, W., Mei, K., Tan, J., Xu, S., Li, Z., & Zhang, Y. (2024). Openagi: When llm meets domain experts. *Advances in Neural Information Processing Systems*, 36.
- Gundawar, A., Verma, M., Guan, L., Valmeekam, K., Bhambri, S., & Kambhampati, S. (2024). Robust Planning with LLM-Modulo Framework: Case Study in Travel Planning. *arxiv preprint arxiv:2405.20625*.
- Harane, P. P., Unune, D. R., Ahmed, R., & Wojciechowski, S. (2024). Multi-objective optimization for electric discharge drilling of waspaloy: A comparative analysis of NSGA-II, MOGA, MOGWO, and MOPSO. *Alexandria Engineering Journal*, 99, 1-16.
- Kasneci, E., Seßler, K., Küchemann, S., Bannert, M., Dementieva, D., Fischer, F., ... & Kasneci, G. (2023). ChatGPT for good? On opportunities and challenges of large language model for education. *Learning and individual differences*, 103, 102274.
- Kirk, H. R., Vidgen, B., Röttger, P., & Hale, S. A. (2024). The benefits, risks and bounds of personalizing the alignment of large language model to individuals. *Nature Machine Intelligence*, 1-10.
- Liu, Z., He, X., Tian, Y., & Chawla, N. V. (2024, May). Can we soft prompt LLMs for graph learning tasks?. In *Companion Proceedings of the ACM on Web Conference 2024* (pp. 481-484).
- Qi, S., Cao, Z., Rao, J., Wang, L., ao, J., & Wang, X. (2023). What is the limitation of multimodal llms? a deeper look into multimodal llms through prompt probing. *Information Processing & Management*, 60(6), 103510.

- Ruiz-Vélez, A., García, J., Alcalá, J., & Yepes, V. (2024). Enhancing Robustness in Precast Modular Frame Optimization: Integrating NSGA-II, NSGA-III, and RVEA for Sustainable Infrastructure. *Mathematics*, 12(10), 1478.
- Schwitzgebel, E., Schwitzgebel, D., & Strasser, A. (2024). Creating a large language model of a philosopher. *Mind & Language*, 39(2), 237-259.
- Thirunavukarasu, A. J., Ting, D. S. J., Elangovan, K., Gutierrez, L., Tan, T. F., & Ting, D. S. W. (2023). Large language model in medicine. *Nature medicine*, 29(8), 1930-1940.
- Wang, H., Feng, S., He, T., Tan, Z., Han, X., & Tsvetkov, Y. (2024a). Can language models solve graph problems in natural language?. *Advances in Neural Information Processing Systems*, 36.
- Wang, L., Chen, X., Deng, X., Wen, H., You, M., Liu, W., ... & Li, J. (2024b). Prompt engineering in consistency and reliability with the evidence-based guideline for LLMs. *npj Digital Medicine*, 7(1), 41.
- Yao, Y., Duan, J., Xu, K., Cai, Y., Sun, Z., & Zhang, Y. (2024). A survey on large language model (llm) security and privacy: The good, the bad, and the ugly. *High-Confidence Computing*, 100211.
- Zhao, Z., Lee, W. S., & Hsu, D. (2024). Large language model as commonsense knowledge for large-scale task planning. *Advances in Neural Information Processing Systems*, 36.

